

TECHNICAL DATA SHEET

DOLOMITE

Application: Filter Media



Our **DOLOMITE** is suitable to be used as filter media for the correction of pH and hardness of the drinking and process waters.

A quality control service grant homogeneous product in each lot of production and with our technological expertise and actual production facilities we are able to respond to the needs of each of our customer with great precision.

The product fulfils the standard UNI ISO EN 1017:1999

PHYSICAL DATA	
Colour	Light grey
Appearance	Grain - irregular form
Bulk Density	1200 Kg / m ³
Available particle size	0.6÷1.0 / 1.2÷1.8 / 1,8÷2,5 mm
Loss at 1000 °C	47,65 %
CHEMICAL ANALYSIS	
SiO ₂	0,12 %.
Fe ₂ O ₃	0,0160 %
MgCO ₃	44,2 %
CaCO ₃	55,6 %
PACKING	
- Loose on dumper truck or cistern truck; - 1.500 Kg. Big bags; - 25 Kg. bags (other packing on demand).	

This information has been gathered from standard reference materials that is assumed to be accurate and reliable. COMELT S.p.A. does not assume any liability and risk that may arise from the use of this product, included but not limited to fitness for a particular purpose or application. COMELT S.p.A. guarantees the compliance of the characteristics of the product with the Data Sheet, but disclaims any responsibility connected to product performances in all the applications by the final user.


De Palma Thermofluid srl

Viale Papa Giovanni XXIII, 195 - 70124 Bari (BA) - Italy
 Tel. +39 080 5610800 - Fax +39 080 5613173
 e-mail: info@thermofluid.it - web: www.thermofluid.it

DOCUMENT N°
ST-DG-GB
VERSION 4